

Author index

- Abe, H., see Morihara, T. (85) 85
 Adachi, K., see Satake, K. (85) 114
 Ahlenius, S., see Eriksson, C. (85) 103
 Amano, T., see Donai, H. (85) 189
 Ankerhold, R., see Kermer, P. (85) 144
 Annapurna, V.V., see Rao, K.S. (85) 251
 Arai, H., see Ohnuma, T. (85) 24

 Bähr, M., see Kermer, P. (85) 144
 Balijepalli, S., Boyd, M.R. and Ravindranath, V.
 Human brain thioltransferase:
 constitutive expression and
 localization by fluorescence in situ
 hybridization (85) 123
 Becquet, D., see François-Bellan, A.M. (85)
 161
 Bosler, O., see François-Bellan, A.M. (85)
 161
 Boyd, M.R., see Balijepalli, S. (85) 123
 Brüggemann, I., Schulz, S., Wiborny, D. and
 Höhl, V.
 Colocalization of the μ -opioid
 receptor and calcium/calmodulin-
 dependent kinase II in distinct pain-
 processing brain regions (85) 239

 Camandola, S., Poli, G. and Mattson, M.P.
 The lipid peroxidation product 4-
 hydroxy-2,3-nonenal inhibits
 constitutive and inducible activity of
 nuclear factor κ B in neurons (85) 53
 Chocyk, A., see Czyrak, A. (85) 209
 Cooper, N.G.F., see Laabich, A. (85) 32
 Cummings, S.L., see Frostholm, A. (85) 200
 Czyrak, A., Chocyk, A., Maćkowiak, M.,
 Fijał, K. and Wędzony, K.
 Distribution of dopamine D1
 receptors in the nucleus
 paraventricularis of the hypothalamus
 in rats: an immunohistochemical
 study (85) 209

 Donai, H., Murakami, T., Amano, T., Sogawa,
 Y. and Yamauchi, T.
 Induction and alternative splicing of δ
 isoform of Ca^{2+} /calmodulin-
 dependent protein kinase II during
 neural differentiation of P19
 embryonal carcinoma cells and during
 brain development (85) 189

 Emson, P.C., see Ohnuma, T. (85) 24

 Eriksson, C., Zou, L.-P., Ahlenius, S.,
 Winblad, B. and Schultzberg, M.
 Inhibition of kainic acid induced
 expression of interleukin-1 β and
 interleukin-1 receptor antagonist
 mRNA in the rat brain by NMDA
 receptor antagonists (85) 103
 Evans, J.E., see Frostholm, A. (85) 200

 Faull, R.L.M., see Ohnuma, T. (85) 24
 Ferrer, I., see López, E. (85) 61
 Fijał, K., see Czyrak, A. (85) 209
 File, S.E., see Kenny, P.J. (85) 234
 François-Bellan, A.M., Guillaumond, F.,
 Bosler, O. and Becquet, D.
 Is light-regulated AP-1 binding in the
 rat suprachiasmatic nucleus gated by
 the circadian clock? (85) 161
 Frostholm, A., Evans, J.E., Cummings, S.L.
 and Rotter, A.
 Harmaline-induced changes in gamma
 aminobutyric acid_A receptor subunit
 mRNA expression in murine
 olivocerebellar nuclei (85) 200

 Gomi, F., see Miyoshi, K. (85) 68
 Guillaumond, F., see François-Bellan, A.M.
 (85) 161

 Halladay, A.K., Yue, Y., Michna, L., Widmer,
 D.A.J., Wagner, G.C. and Zhou, R.
 Regulation of EphB1 expression by
 dopamine signaling (85) 171
 Harikrishna, T., see Rao, K.S. (85) 251
 Hitomi, J., see Miyoshi, K. (85) 68
 Hitomi, J., see Morihara, T. (85) 85
 Höhl, V., see Brüggemann, I. (85) 239
 Huang, P.L., see Putzke, J. (85) 13

 Imaizumi, K., see Miyoshi, K. (85) 68
 Imaizumi, K., see Morihara, T. (85) 85
 Ito, E., see Sugiyama, T. (85) 133
 Ito, S., see Tanaka, M. (85) 91
 Ito, Y., see Sugiyama, T. (85) 133
 Iwakami, N., see Shoji, M. (85) 221
 Iwata, H., see Satake, K. (85) 114

 Jezierski, M.K. and Sohrabji, F.
 Region- and peptide-specific
 regulation of the neurotrophins by
 estrogen (85) 77

 Kamiya, M., see Satake, K. (85) 114

 Kanazawa, I., see Shoji, M. (85) 221
 Katayama, T., see Miyoshi, K. (85) 68
 Katayama, T., see Morihara, T. (85) 85
 Kawakami, H., see Satake, K. (85) 114
 Kenny, P.J., File, S.E. and Rattray, M.
 Acute nicotine decreases, and chronic
 nicotine increases the expression of
 brain-derived neurotrophic factor
 mRNA in rat hippocampus (85) 234
 Kermer, P., Ankerhold, R., Klöcker, N.,
 Krajewski, S., Reed, J.C. and Bähr, M.
 Caspase-9: Involvement in secondary
 death of axotomized rat retinal
 ganglion cells in vivo (85) 144
 Kiuchi, K., see Satake, K. (85) 114
 Kiuchi, K., see Tanaka, M. (85) 91
 Klöcker, N., see Kermer, P. (85) 144
 Koga, H., see Okazaki, N. (85) 1
 Kominami, E., see Okazaki, N. (85) 1
 Krajewski, S., see Kermer, P. (85) 144

 Laabich, A. and Cooper, N.G.F.
 Neuroprotective effect of AIP on *N*-
 methyl-D-aspartate-induced cell death
 in retinal neurons (85) 32
 Lippa, C.F., see Shoji, M. (85) 221
 López, E. and Ferrer, I.
 Staurosporine- and H-7-induced cell
 death in SH-SY5Y neuroblastoma
 cells is associated with caspase-2 and
 caspase-3 activation, but not with
 activation of the FAS/FAS-L-caspase-
 8 signaling pathway (85) 61

 Maćkowiak, M., see Czyrak, A. (85) 209
 Manabe, T., see Miyoshi, K. (85) 68
 Manabe, T., see Morihara, T. (85) 85
 Masuho, Y., see Okazaki, N. (85) 1
 Matsushita, N., see Tanaka, M. (85) 91
 Matsuyama, Y., see Satake, K. (85) 114
 Mattson, M.P., see Camandola, S. (85) 53
 McKenna, P.J., see Ohnuma, T. (85) 24
 Michna, L., see Halladay, A.K. (85) 171
 Misawa, H., see Sugiyama, T. (85) 133
 Miyoshi, K., Katayama, T., Imaizumi, K.,
 Taniguchi, M., Mori, Y., Hitomi, J., Yui,
 D., Manabe, T., Gomi, F., Yoneda, T.
 and Tohyama, M.
 Characterization of mouse *Irel α* :
 cloning, mRNA localization in the
 brain and functional analysis in a
 neural cell line (85) 68
 Mori, N., see Tanaka, M. (85) 91

- Mori, Y., see Miyoshi, K. (85) 68
- Morihara, T., Katayama, T., Sato, N., Yoneda, T., Manabe, T., Hitomi, J., Abe, H., Imaizumi, K. and Tohyama, M.
Absence of endoproteolysis but no effects on amyloid β production by alternative splicing forms of presenilin-1, which lack exon 8 and replace D257A (85) 85
- Murakami, T., see Donai, H. (85) 189
- Muramatsu, M.-a., see Okazaki, N. (85) 1
- Nakayama, M., see Ohara, R. (85) 41
- Ohara, O., see Ohara, R. (85) 41
- Ohara, R., Yamakawa, H., Nakayama, M. and Ohara, O.
Type II brain 4.1 (4.1B/KIAA0987), a member of the protein 4.1 family, is localized to neuronal paranodes (85) 41
- Ohnuma, T., Tessler, S., Arai, H., Faull, R.L.M., McKenna, P.J. and Emson, P.C.
Gene expression of metabotropic glutamate receptor 5 and excitatory amino acid transporter 2 in the schizophrenic hippocampus (85) 24
- Okajima, F., see Sato, K. (85) 151
- Okazaki, N., Yan, J., Yuasa, S., Ueno, T., Kominami, E., Masuho, Y., Koga, H. and Muramatsu, M.-a.
Interaction of the Unc-51-like kinase and microtubule-associated protein light chain 3 related proteins in the brain: possible role of vesicular transport in axonal elongation (85) 1
- Okazawa, H., see Shoji, M. (85) 221
- Ono, S., see Shoji, M. (85) 221
- Poli, G., see Camandola, S. (85) 53
- Putzke, J., Seidel, B., Huang, P.L. and Wolf, G.
Differential expression of alternatively spliced isoforms of neuronal nitric oxide synthase (nNOS) and *N*-methyl-D-aspartate receptors (NMDAR) in knockout mice deficient in nNOS α (nNOS $\alpha^{\Delta/\Delta}$ mice) (85) 13
- Raji, N.S., see Rao, K.S. (85) 251
- Rao, K.S., Annapurna, V.V., Raji, N.S. and Harikrishna, T.
Loss of base excision repair in aging rat neurons and its restoration by DNA polymerase β (85) 251
- Rattray, M., see Kenny, P.J. (85) 234
- Ravindranath, V., see Balijepalli, S. (85) 123
- Reed, J.C., see Kermer, P. (85) 144
- Rimini, R., Rimland, J.M. and Terstappen, G.C.
Quantitative expression analysis of the small conductance calcium-activated potassium channels, SK1, SK2 and SK3, in human brain (85) 218
- Rimland, J.M., see Rimini, R. (85) 218
- Rotter, A., see Frostholt, A. (85) 200
- Samina Riaz, S. and Tomlinson, D.R.
Pharmacological modulation of nerve growth factor synthesis: a mechanistic comparison of vitamin D receptor and β_2 -adrenoceptor agonists (85) 179
- Satake, K., Matsuyama, Y., Kamiya, M., Kawakami, H., Iwata, H., Adachi, K. and Kiuchi, K.
Nitric oxide via macrophage iNOS induces apoptosis following traumatic spinal cord injury (85) 114
- Sato, K., Ui, M. and Okajima, F.
Differential roles of Edg-1 and Edg-5, sphingosine 1-phosphate receptors, in the signaling pathways in C6 glioma cells (85) 151
- Sato, N., see Morihara, T. (85) 85
- Schultzberg, M., see Eriksson, C. (85) 103
- Schulz, S., see Brüggemann, I. (85) 239
- Seidel, B., see Putzke, J. (85) 13
- Shinoe, T., see Sugiyama, T. (85) 133
- Shoji, M., Iwakami, N., Takeuchi, S., Waragai, M., Suzuki, M., Kanazawa, I., Lippa, C.F., Ono, S. and Okazawa, H.
JNK activation is associated with intracellular β -amyloid accumulation (85) 221
- Sogawa, Y., see Donai, H. (85) 189
- Sohrabji, F., see Jezierski, M.K. (85) 77
- Sugiyama, T., Shinoe, T., Ito, Y., Misawa, H., Tojima, T., Ito, E. and Yoshioka, T.
A novel function of synapsin II in neurotransmitter release (85) 133
- Suzuki, M., see Shoji, M. (85) 221
- Takeuchi, S., see Shoji, M. (85) 221
- Tanaka, M., Ito, S., Matsushita, N., Mori, N. and Kiuchi, K.
Promoter analysis and characteristics of the 5'-untranslated region of the mouse glial cell line-derived neurotrophic factor gene (85) 91
- Taniguchi, M., see Miyoshi, K. (85) 68
- Terstappen, G.C., see Rimini, R. (85) 218
- Tessler, S., see Ohnuma, T. (85) 24
- Tohyama, M., see Miyoshi, K. (85) 68
- Tohyama, M., see Morihara, T. (85) 85
- Tojima, T., see Sugiyama, T. (85) 133
- Tomlinson, D.R., see Samina Riaz, S. (85) 179
- Ueno, T., see Okazaki, N. (85) 1
- Ui, M., see Sato, K. (85) 151
- Wagner, G.C., see Halladay, A.K. (85) 171
- Waragai, M., see Shoji, M. (85) 221
- Wędzony, K., see Czyrak, A. (85) 209
- Wiborny, D., see Brüggemann, I. (85) 239
- Widmer, D.A.J., see Halladay, A.K. (85) 171
- Winblad, B., see Eriksson, C. (85) 103
- Wolf, G., see Putzke, J. (85) 13
- Yamakawa, H., see Ohara, R. (85) 41
- Yamauchi, T., see Donai, H. (85) 189
- Yan, J., see Okazaki, N. (85) 1
- Yoneda, T., see Miyoshi, K. (85) 68
- Yoneda, T., see Morihara, T. (85) 85
- Yoshioka, T., see Sugiyama, T. (85) 133
- Yuasa, S., see Okazaki, N. (85) 1
- Yue, Y., see Halladay, A.K. (85) 171
- Yui, D., see Miyoshi, K. (85) 68
- Zhou, R., see Halladay, A.K. (85) 171
- Zou, L.-P., see Eriksson, C. (85) 103